			-		Attorney's Docket Number
	TR	ANSMITT	AL LETTER	TO THE UNITED STATES	 054160-5060
	DE	SIGNATE	ED/ELECTED	OFFICE (DO/EO/US)	U.S. Application No. TO / 04966
				UNDER 35 U.S.C. § 371 International Filing Date	
	mema	попаг Арр	ilication, No.	International Filing Date	Priority Date Claimed
	PCT/	EP00/080	11	August 16, 2000	August 16, 1999
	Title of	Invention	: PHARMACI	FUTICAL AGENT COMPRIS	SING A BENZAMIDE DERIVATIVE AS
•			ACTIVE IN		NITO A DEIVERWINDE DEIXIVATIVE AO
	Applica	nts For E	O/EO/US: Ts		IDO, Masahiko ISHIBASHI, Masahiro SAKABE
	Appl	icants here	with submit to	o the United States Designated/	Elected Office (DO/EO/US) the following items and
		formation:		J	, , , , , , , , , , , , , , , , , , , ,
	1.	\boxtimes	This is a FIR	ST submission of items concern	ning a filing under 35 U.S.C. § 371.
	2.		This is a SEC	COND or SUBSEQUENT subm	nission of items concerning a filing under
		_	35 U.S.C. § 3		
	3.	Ш	This express	request to begin national exam	ination procedures (35 U.S.C. § 371(f)) at
			any time ratio	ier than delay examination until i.C. § 371(b) and PCT Articles 2	the expiration of the applicable time limit
	4.	\boxtimes			ary Examination was made by the 19th
				the earliest claimed priority date	
	5.	\boxtimes		e International Application as fi	iled (35 U.S.C. § 371(c)(2))
	Φ.		a		quired only if not transmitted by the
			b. 🖂	International Bureau).	a International Durage
			c.	has been transmitted by the	e international Bureau. ication was filed in the United States
			С.	Receiving Office (RO/US)	
	6.	\boxtimes	A translation		n into English (35 U.S.C. § 371(c)(2)).
	7.	\boxtimes			nal Application under PCT Article 19
			(35 U.S.C. §	371(c)(3)).	·
			a		required only if not transmitted by the
			1. M	International Bureau).	1 1 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			b. <u>Х</u>	have been transmitted by t	the International Bureau. Ever, the time limit for making such
			v	amendments has NOT exp	
			d. 🔲	have not been made and w	
	8.		A translation		ns under PCT Article 19 (35 U.S.C.
	•		§ 371(c)(3)).		,
	9.	\bowtie		eclaration of the inventors (35 U	
	10.			of the annexes to the Internation of the Interna	onal Preliminary Examination Report
			under i e i i i	index 50 (55 0.5.c. § 571(c)(5)	<i>))</i> ·
	Items 1	l. to 14. bo	elow concern	other document(s) or informa	ation included:
	11.			on Disclosure Statement under	
	12.	×			eparate cover sheet in compliance with
	1.2	\square		3.28 and § 3.31 is included.	
	13.	H		liminary amendment.	amandmant
	14.	\bowtie		or SUBSEQUENT preliminary or information:	amenunent.
	•		a. PCT/IB/3		
			b. PCT/IPE		
			c DCT/ICA/		

U.S. A	PPLICATION NO	INTERNATIONAL API	PLICATION NO. ATTORNE	Y DOCKET NUMBER				
10/	04966	6 PCT/EP00/080	11	5060				
15.	⊠ The	following fees are submitted			-			
	Basic National Fee (37 C.F.R. § 1.492(a)(1)-(5)):							
	Search Report has been prepared by the EPO or JPO\$890.00							
	International preliminary examination fee paid to							
	USPTO (37 C.F.R. § 1.482)\$710.00							
	No international preliminary examination fee paid to							
	USPTO (37 C.F.R. § 1.482) but international search fee							
	paid to USPTO (37 C.F.R. § 1.445(a)(2))\$740.00							
		ational preliminary examination			i			
		1.482) nor international searc			İ			
		1.445(a)(2)) paid to USPTO						
		reliminary examination fee p]			
		1.482) and all claims satisfied			1			
	of PCT Artic	le 33(2)-(4)						
			ROPRIATE BASIC FEE AN	IOUNT =	[\$890.00			
		for furnishing the oath or			!			
		s from the earliest claimed	priority date					
	.F.R. § 1.492(e)				\$			
Clair		Number Filed	Number Extra	Rate				
	l Claims	36 - 20 =	16	X \$18.00	\$ 288.00			
	pendent Claims		0	X \$84.00	\$			
Mult	iple dependent	claim(s) (if applicable)		+ \$280.00	\$ 280.00			
				ABOVE CALCULATIONS				
	Reduction by ½ for filing by small entity, if applicable.							
	Verified Small Entity statement must also be filed. (Note 37 C.F.R. §§ 1.9, 1.27, 1.28)							
	SUBTOTAL =							
	Processing fee of \$130.00 for furnishing the English translation later							
than	than 20 30 months from the earliest claimed priority date (37 C.F.R. § 1.492(f)).							
	TOTAL NATIONAL FEE =							
Fee for recording the enclosed assignment (37 C.F.R. § 1.21(h)).								
The Assignment must be accompanied by an appropriate cover sheet								
than	(37 C.F.R. §§ 3.28, 3.31). \$40.00 per property							
	TOTAL FEES ENCLOSED =							
	Amount to be refunded							
Ĺ				Amount to be charged	\$ 1498.00			
8			nt No. 50-0310 in the amount					
			aplicate copy of this sheet is en					
t				Commissioner is hereby author	ized			
				e pendency of this application				
				n may be required, or credit an	.y			
		overpayment to Deposit Acc	ount No. 50-0310.		4 2			
			A. 1010	, , ,				

Customer No. 09629 SEND ALL CORRESPONDENCE TO: Morgan, Lewis & Bockius LLP 1111 Pennsylvania Avenue, N.W.

Washington, D.C. 20004 Telephone: (202) 739-3000 Facsimile: (202) 739-3001

Lynn E. Eccleston Reg. No. 35,861

Submitted: February 15, 2002

10/049666 JC11 Rec'd PCT/PTO 15 FEB 2002

PATENT ATTORNEY DOCKET NO. 054160-5060

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Tsuneji SUZUKI et al.	.)
U.S. Application No.: To Be Assigned) Group Art Unit: To Be Assigned
Date of National Stage Entry: February 15, 2002) Examiner: To Be Assigned)
Based on PCT/EP00/08011)
Filed : August 16, 2000)
)
For: PHARMACEUTICAL AGENT)
COMPRISING A BENZAMIDE)
DERIVATIVE AS ACTIVE)
INGREDIENT)
Commissioner for Patents Washington, D.C. 20231	
Sir	

PRELIMINARY AMENDMENT

Prior to the examination of the above-identified application on the merits, please amend the application as follows:

In the claims:

Please cancel claims 1-17.

Please add the following claims 18-31:

18. A pharmaceutical composition, comprising: (a) a benzamide derivative represented by formula (1):

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$$

wherein A represents any one of the structures of formula (2):

or a pharmaceutically acceptable salt thereof, and (b) at least one additive selected from the group consisting of an excipient, a disintegrant, a binder, a lubricant, a coating agent and a solvent.

19. The pharmaceutical composition according to claim 18, wherein said benzamide derivative is represented by formula (3):

$$\begin{array}{c|c}
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\$$

- 20. The pharmaceutical composition according to claim 18, wherein said excipient is D-mannitol.
- 21. The pharmaceutical composition according to claim 18, wherein said disintegrant is at

least one disintegrant selected from the group consisting of partly pregelatinized starch, carmellose calcium, and carboxymethylstarch sodium.

- 22. The pharmaceutical composition according to claim 18, wherein said binder is hydroxypropyl cellulose.
- 23. The pharmaceutical composition according to claim 18, wherein said lubricant is at least one lubricant selected from the group consisting of magnesium stearate and talc.
- 24. The pharmaceutical composition according to claim 18, wherein said coating agent is hydroxypropyl methylcellulose.
- 25. The pharmaceutical composition according to claim 18, wherein said solvent is at least one solvent selected from the group consisting of a propylene glycol, dimethylacetamide, and polyethylene glycol.
- 26. The pharmaceutical composition according to claim 18, further comprising at least one compound selected from the group consisting of an organic acid salt, an amino compound, and an inorganic basic substance.
- 27. The pharmaceutical composition according to claim 26, wherein said organic acid salt is at least one organic acid salt selected from the group consisting of monosodium fumarate, sodium alginate, sodium dehydroacetate, sodium erythorbate, and trisodium citrate.
- 28. The pharmaceutical composition according to claim 26, wherein said amino compound is at least one amino compound selected from the group consisting of tris(hydroxymethyl)aminomethane, monoethanolamine, diethanolamine, triethanolamine, diisopropanolamine, triisopropanolamine, dihydroxyaluminum aminoacetate, arginine, creatinine, sodium glutamate, glycine, L-arginine, L-glutamate, and carbachol.
- 29. The pharmaceutical composition according to claim 26, wherein said inorganic basic substance is at least one inorganic basic substance selected from the group consisting of sodium carbonate, potassium carbonate, ammonium carbonate, sodium bicarbonate, potassium bicarbonate, sodium hydroxide, disodium phosphate, and ammonia.
- 30. The pharmaceutical composition according to any one of claims 18-29, wherein the pharmaceutical composition is a solid composition which comprises granules prepared by a dry granulation method.
- 31. The pharmaceutical composition according to any one of claims 18-29, wherein the pharmaceutical composition is a liquid composition with an adjusted pH ranging from about 4 to about 12.

REMARKS

Claims 1-17 in the application have been cancelled without waiver, disclaimer or prejudice. New claims 18-31 have been added by this Preliminary Amendment.

EXCEPT for issue fees payable under 37 C.F.R. § 1.18, the Commissioner is hereby authorized by this paper to charge any additional fees during the entire pendency of this application including fees due under 37 C.F.R. §§ 1.16 and 1.17 which may be required, including any required extension of time fees, or credit any overpayment to Deposit Account No. 50-0310. This paragraph is intended to be a **CONSTRUCTION PETITION FOR EXTENSION OF TIME** in accordance with 37 C.F.R. § 1.136(a)(3).

Respectfully submitted,

MORGAN, LEWIS & BOCKIUS LLP

Jynn E. Eccleston Lynn E. Sccleston Reg. No. 35,861

Dated: February 15, 2002 MORGAN, LEWIS & BOCKIUS LLP 1111 Pennsylvania Avenue, N.W. Washington, D.C. 20004 (202) 739-3000

JC11 Res'd PGT/PTO -1 5 FEB 2002

DESCRIPTION

PHARMACEUTICAL AGENT COMPRISING A BENZAMIDE . DERIVATIVE AS ACTIVE INGREDIENT

Field of Invention

5

10

15

20

25

30

35

The present invention relates to a pharmaceutical composition and in particular to a pharmaceutical formulations comprising as an active ingredient a benzamide derivative or a pharmaceutically acceptable salt thereof, that is useful as a pharmaceutical agent, in particular an anticancer agent.

Background Art

Benzamide derivatives or pharmaceutically acceptable salts thereof according to the present invention have an ability of inhibiting histone deacetylating enzymes and of inducing differentiation, and are useful as therapeutic or ameliorating agents for diseases that are involved in cellular growth such as malignant tumors, autoimmune diseases, skin diseases, infections, blood vessel diseases, allergic diseases, gastrointestinal disorders, hormonal diseases, diabetes mellitus, and the like, enhancers of the effect of gene therapy, or immunosuppressants. In particular, they are effective as anti-tumor agents and are effective against hematopoietic organ tumors and solid tumors (Japanese Unexamined Patent Publication (Kokai) No. 10-152462).

However, though the benzamide derivatives and pharmaceutically acceptable salts thereof of the present invention are stable per se, they become unstable and decompose markedly over time when combined with additives such as light silicic acid anhydride, lactose, corn starch, carboxymethyl cellulose, magnesium alminate metasilicate, titanium oxide, polyethylene glycols and polysorbates that are commonly used in order to produce dosage forms suitable for oral, percutaneous, or tissue administration. '

Furthermore, when they are formulated into tablets

5

10

15

20

25

30

by the wet granulation, the most common granulation method of preparing solid formulations, they become further unstable and yield, in large quantities, decomposed products different from simple hydrolyzates, resulting in pharmaceutical formulations in which the ratio of an active ingredient is as low as about 0.001 to 25%, which noticeably decompose, and therefore which are unsuitable as pharmaceutical solid formulations to be provided as medical drugs. Also, pharmaceutical formulations that employ ingredients commonly used for liquids such as polysorbates, polyethylene glycols, and Thus it was difficult to use, as glycerin were unstable. medical drugs, pharmaceutical formulations that contain a benzamide derivative or a pharmaceutically acceptable salt thereof at about 0.001 to 25% as an active ingredient.

Disclosure of Invention

The present invention is intended to enhance the stability of compositions containing as an active ingredient a pharmaceutically useful benzamide derivative or a pharmaceutically acceptable salt and to effectively use them as a pharmaceutical formulation.

In order to solve the above problems, intensive research was conducted on the effects of temperature, humidity, and physicochemical properties on the solutions, powders, and solid shaped products to which a benzamide derivative or a pharmaceutically acceptable salt thereof has been added. As a result, the inventors have found that the problem of instability of an active ingredient can be solved and stable and excellent pharmaceutical formulations can be produced by using selectively, among the additives commonly used for pharmaceutical formulations, those additives that do not easily induce decomposition of benzamide derivatives, adding an organic acid salt, an amino compound and an inorganic basic substance, and the like as a stabilizer, producing using the dry granulation or adjusting pH in

5

10

15

20

the range of 4 to 12, preferably in the range of pH 7 to 11, and thereby have completed the present invention.

Thus, the present invention relates to

[1] a pharmaceutical formulation comprising a benzamide derivative represented by the formula (1):

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$$

wherein A represents a structure shown by any one of the formula (2):

or a pharmaceutically acceptable salt thereof, and one or more than one additive selected from the group consisting of an excipient, a disintegrant, a binder, a lubricant, a coating agent and a solvent;

[2] as a preferred embodiment the pharmaceutical formulation of the above [1] wherein said benzamide derivative is represented by the formula (3);

$$\begin{array}{c|c}
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & \\
 & & & \\
 & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & \\$$

[3] as a preferred embodiment the pharmaceutical formulation of the above [1] or [2] wherein said

and the state of t

A SALAH SALA

excipient is D-mannitol;

- [4] as another preferred embodiment the pharmaceutical formulation of any one of the above [1] to [3] wherein said disintegrant is one or more than one selected from the group consisting of partly pregelatinized starch, carmellose calcium, and carboxymethylstarch sodium;
- [5] as a preferred embodiment the pharmaceutical formulation of any one of the above [1] to [4] wherein said binder is hydroxypropyl cellulose;
- [6] as a preferred embodiment the pharmaceutical formulation of any one of the above [1] to [5] wherein said lubricant is one or more than one selected from magnesium stearate and talc;
- [7] as a preferred embodiment the pharmaceutical formulation of any one of the above [1] to [6] wherein said coating agent is hydroxypropyl methylcellulose;
- [8] as a preferred embodiment the pharmaceutical formulation of any one of the above [1] to [7] wherein said solvent is one or more than one selected from the group consisting of propylene glycol, dimethylacetamide, and polyethylene glycol;
- [9] as a preferred embodiment the pharmaceutical formulation of any one of the above [1] to [8] wherein said formulation further comprises one or more than one selected from the group consisting of an organic acid salt, an amino compound, and an inorganic basic substance;
- [10] as a preferred embodiment the pharmaceutical formulation of any one of the above [1] to [9] wherein said organic acid salt is one or more than one selected from the group consisting of monosodium fumarate, sodium alginate, sodium dehydroacetate, sodium erythorbate, and trisodium citrate;
- formulation of any one of the above [1] to [9] wherein said amino compound is one or more than one selected from

15

5

10

20

25

the group consisting of tris(hydroxymethyl)aminomethane, monoethanolamine, diethanolamine, triethanolamine, diisopropanolamine, triisopropanolamine, dihydroxyaluminum aminoacetate, arginine, creatinine, sodium glutamate, glycine, L-arginine L-glutamate, and carbachol;

[12] as a preferred embodiment the pharmaceutical formulation of any one of the above [1] to [9] wherein said inorganic basic substance is one or more than one selected from the group consisting of sodium carbonate, potassium carbonate, ammonium carbonate, sodium bicarbonate, potassium bicarbonate, sodium hydroxide, disodium phosphate, and ammonia;

[13] as a preferred embodiment the pharmaceutical formulation of any one of the above [1] to [12] wherein the formulation is a solid formulation which comprises preparing granules by a dry granulation method; and

[14] as a preferred embodiment, the pharmaceutical formulation of any one of the above [1] to [13] wherein the formulation is a liquid formulation and pH is adjusted within the range of 4 to 12.

Embodiment for Carrying Out the Invention

The present invention will now be explained in further detail below.

The pharmaceutical formulations as used herein generally mean those that have been produced by formulating one or more additives with an active ingredient or active ingredients and that have been formulated into shapes suitable for use in various dosage forms of medical drugs.

According to the present invention, solid formulations, in particular powders, can be produced by adding to the active ingredient one or more than one additives that do not easily induce decomposition by using a method conventionally used by a person skilled in the art. Examples of additives that do not easily induce decomposition include: D-mannitol as an excipient; partly

15

10

5

20

25

30

pregelatinized starch, carboxymethylstarch sodium, and carmellose calcium as a disintegrant; hydroxypropyl cellulose as a binder; magnesium stearate and talc as a lubricant; and hydroxypropyl methyl cellulose as a coating agent. One or more than one of them can be used.

According to the present invention, solid formulations, in particular granules, tablets, and capsules can be produced by a dry granulation method in which additives that do not easily induce decomposition are added to the active ingredient, mixed in a shaker such as a granulator and a V-type mixer, compression—molded by a roller compactor after the mixture in a shaker, and further crushed by a power mill thereby to form granules.

Furthermore, more stable granules, tablets, and capsules can be obtained by adding to the active ingredient one or more than one selected from the group consisting of an organic acid salt such as monosodium fumarate, sodium alginate, sodium dehydroacetate, sodium erythorbate, and trisodium citrate; an amino compound such as tris(hydroxymethyl)aminomethane, monoethanolamine, diethanolamine, triethanolamine, diisopropanolamine, triisopropanolamine, dihydroxyaluminum aminoacetate, arginine, creatinine, sodium glutamate, glycine, L-arginine L-glutamate, and carbachol; an inorganic basic substance such as sodium carbonate, potassium carbonate, lithium carbonate, strontium carbonate; ammonium carbonate, sodium bicarbonate, potassium bicarbonate, lithium bicarbonate, strontium bicarbonate, sodium hydroxide, disodium phosphate, and ammonia, and by granulating in the dry granulation method.

When an organic acid salt, an amino compound or an inorganic basic substance is added, additives such as excipients, disintegrants, binders, lubricants, and coating agents can be used without limitation. Examples include, lactose, lactose anhydride, D-mannitol, corn

35

5

10

15

20

25

5

10

15

20

25

30

35

starch, and crystalline cellulose as an excipient; hydroxypropyl cellulose, polyvinylpyrrolidone, methyl cellulose, glycerin, and water as a binder; carmellose, calcium carmellose, low-substitution hydroxypropyl cellulose, and partly pregelatinized starch as a disintegrant; magnesium stearate, calcium stearate, stearic acid, and talc as a lubricant; and hydroxypropyl methyl cellulose, methacrylic acid copolymer, and hydroxypropyl methyl cellulose phthalate as a coating agent.

In accordance with the present invention, stable liquids, syrups, injections, emulsions, suspensions, suppositories, soft capsules whose contents are liquid, or hard capsules whose contents are liquid and the like can be produced by dissolving an active ingredient into solvents that do not easily induce the decomposition of the active ingredient such as propylene glycol and dimethylacetamide, by using a method conventionally used by a person skilled in the art.

More stable liquids, syrups, injections, emulsions, suspensions, suppositories, soft capsules whose contents are liquid, or hard capsules whose contents are liquid and the like can be produced by dissolving in a solvent one or more than one ingredients, selected from the group consisting of an organic acid salt such as monosodium fumarate, sodium alginate, sodium dehydroacetate, sodium erythorbate and trisodium citrate; an amine compound such as tris(hydroxymethyl)aminomethane, monoethanolamine, diethanolamine, triethanolamine, diisopropanolamine, triisopropanolamine, dihydroxyaluminum aminoacetate, arginine, creatinine, sodium glutamate, glycine, Larginine L-glutamate, and carbachol; an inorganic basic substance such as ammonium carbonate, disodium phosphate, sodium carbonate, potassium carbonate, lithium carbonate, strontium carbonate, sodium bicarbonate, potassium bicarbonate, lithium bicarbonate, strontium bicarbonate, sodium hydroxide and ammonia, and by adjusting pH in the

o T.

5

10

15

2Ó

25

30

35

range of 4 to 12 with an acid or a base.

As used herein, acids or bases mean organic bases, inorganic bases, organic acids, or inorganic acids that can be used as medical drugs. Organic bases mean tris(hydroxymethyl)aminomethane, monoethanolamine, diethanolamine, triethanolamine, diisopropanolamine, triisopropanolamine, arginine, and the like. Inorganic bases mean sodium hydroxide, ammonium water, potassium bicarbonate, potassium carbonate, sodium bicarbonate, sodium carbonate, and the like. Organic acids mean citric acid, succinic acid, acetic acid, tartaric acid, lactic acid, and the like. Inorganic acids mean hydrochloric acid, sulfuric acid, phosphoric acid and the like.

In order to produce lyophilized formulations, according to the present invention, an active ingredient is mixed with a conventionally known solvent such as one or more than one solvent selected from the group consisting of purified water, macrogol, propylene glycol, polysorbate and dimethylacetamide; to a resulting composition are further added one or more than one additive selected from the group consisting of sugars; gelatin; dextrin; an organic acid salt such as monosodium fumarate, sodium alginate, sodium glutamate, sodium dehydroacetate, sodium erythorbate, trisodium citrate, and arginine-glutamate; an amine compound such as tris(hydroxymethyl)aminomethane, ammonia water, monoethanolamine, diethanolamine, triethanolamine, diisopropanolamine, triisopropanolamine, dihydroxyaluminum aminoacetate, arginine, creatinine, glycine, and carbachol; an inorganic basic substance such as ammonium carbonate, disodium phosphate, sodium carbonate, sodium bicarbonate and potassium bicarbonate; and then pH of the resulting composition is adjusted to 4 to 12, as desired, with an acid or a base, and the

The pharmaceutical formulations of the present

composition is freeze-dried under a reduced pressure.

invention can be administered by any method depending on various dosage forms, the age and sex of the patient, the severity of disease, and other conditions. For example, tablets, pills, liquids, syrups, suspensions, emulsions, granules, and capsules may be orally administered, injections may be intravenously administered either singly or in an admixture with a conventional supplement such as glucose and an amino acid, and, as needed, may be administered singly intramuscularly, subcutaneously, or intraperitoneally. Lyophilized formulations reconstituted with solvent such as saline and purified water may be administered intravenously singly or in an admixture with a conventional supplement such as glucose, an amino acid and the like, and, as needed, may be administered singly intramuscularly, subcutaneously, or intraperitoneally. Suppositories may be directly administered intrarectally.

Dosages of the pharmaceutical formulations of the present invention are selected as appropriate depending on the method of administration, the age and sex of the patient, the severity of disease, and the like. Generally the daily dosage of an active ingredient compound is preferably in the range of about 0.0001 to 100 mg/kg, and for pharmaceutical formulations in the unit dosage form an active ingredient compound is preferably included at a range of about 0.001 to 1,000 mg.

Benzamide derivatives, active ingredients of the present invention, or pharmaceutically acceptable salts thereof can be produced by a method described in, for example, Japanese Unexamined Patent Publication (Kokai). No. 10-152462.

Medical drugs as used herein mean, in addition to anticancer agents, agents for the treatment and/or amelioration of autoimmune diseases, skin diseases, infections, diseases of blood vessels, allergic diseases, gastrointestinal disorders, hormonal diseases, diabetes

35

5

10

15

20

25

30

Line of a significant but accepts the section of the control of th

mellitus, and the like, enhancers of the effect of gene therapy, or immunosuppressants.

Examples

The present invention will now be explained in more detail with reference to the following compound, N-(2-aminophenyl)-4-[N-(pyridine-3-yl)methoxycarbonyl]aminomethyl benzamide (compound 1), in Examples and Reference Examples. It is to be noted, however, that the present invention is not limited by these examples in any way.

Example 1.

5

10

15

20

25

30

Compound 1 (1 g) was mixed with 1 g each of Dmannitol, partly pregelatinized starch, carmellose calcium, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, magnesium stearate, and talc to prepare a powder formulation. Similarly, lactose, corn starch, crystalline cellulose, carmellose, light-weight silicic acid anhydride, magnesium aluminum metasilicate, and titanium oxide were mixed to prepare a comparative control sample. After these formulations were stored at an air-tight condition at 60°C for 4 weeks and at an open condition at 40°C and at a relative humidity of 75% for 3 months, they were subjected to HPLC analysis. percentage (%) of degradation products relative to the active ingredient was shown in Table 1. The powder formulation prepared by mixing 1:1 with D-mannitol, partially gelatinized starch, carmellose calcium, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, magnesium stearate or talc was stable.

Table (1): Stability of various powders

		condition	
Additive	60°C	40°C 75% RH	
	air-tight	open	
	4 weeks	3 months	
Comparative control sample			
None	0.18	0.19	
Lactose	0.55	0,44	
Corn starch	0.39	0.34	
Crystalline cellulose	0.25	0.61	
Carmellose	0.43	0.41	
Light-weight silicic acid anhydride	5.87	10.01	
Magnesium aluminum metasilicate	17.94	5.45	
Titanium oxide	1.75	0.82	
Example			
D-mannitol	0.21	0.21	
Partially gelatinized starch	0.21	0.34	
Carmellose calcium	0.30	0.21	
Hydroxypropyl cellulose	0.20	0.20	
Magnesium stearate	0.22	0.20	
Hydroxypropyl methyl cellulose	0.27	0.21	
Talc	0.36	0.23	

Figures in the table represent the total amount (%) of the degradation products produced by the decomposition of compound 1.

Example 2.

Pharmaceutical formulations a, b, c, d, e, and f shown in Table (2) were prepared in the following procedure. Thus, compound 1 and D-mannitol divided into 1/8, 2/8, and 5/8 of the prescribed amount were serially added under mixing using a granulator to prepare homogeneous powders. Furthermore, 1/2 of the prescribed amount of magnesium stearate was added thereto and was mixed in a V-shaped mixer for 20 minutes, compression—molded by a roller compactor, and further crushed by a power mill to prepare granules. Subsequently, carboxymethyl starch sodium of the prescribed amount and 1/2 of the prescribed amount of magnesium stearate were added and mixed in a V-shaped mixer, made into tablets by tabletting machine to obtain samples a, b, c, d, e, and f.

5

10

15

)

Table (2): Formulation for tablets (unit: mg)

Ingredient/number	S	ample o	f the p	resent	inventi	on
	a	ь	С	d	e	f
Active ingredient	5.0	1.0	1.0	1.0	1.0	1.0
D-mannitol	56.0	60.0	60.0	60.0	60.0	60.0
Carboxymethyl	3.3	3.3	3.3	3.3	3.3	3.3
starchsodium						
Magnesium stearate	0.7	0.7	0.7	0.7	0.7	0.7
Tris(hydroxymethyl)	-	~	0.5	~	-	-
aminomethane						
Potassium bicarbonate			-	0.5	-	_
Sodium carbonate	-	~	-	-	0.5	_
Potassium carbonate		_		-		0.5
Total	65.0	65.0	65.5	65.5	65.5	65.5

Reference Example 1.

D-mannitol, partially gelatinized starch, carmellose calcium, magnesium stearate, hydroxypropyl cellulose, polyvinylpyrrolidone K30, or the like which is comparatively stable when mixed with Compound 1 was granulated according to the formulation shown in Table (3) by the wet granulation method and made into tablets by tabletting machine to obtain samples g to i.

Table (3): Formulation for tablets (unit: mg)

Ingredient/number	Sample		
	g	h	i
Active ingredient	1.0	1.0	1.0
D-mannitol	40.6	40.6	40.6
Partially gelatinized starch	17.4	17.4	17.4
Hydroxypropyl cellulose	2.0	2.0	-
Polyvinylpyrrolidone	-	-	2.0
Carmellose calcium	3.3	_	3.3
Magnesium stearate	0.7	0.7	0.7
Total	65.0	65.0	65.0

The percentage (%) of degradation products of compound 1 is shown in Table 4, when samples obtained in Example 2 and Reference Example 1 were stored at an airtight condition at 60°C for 4 weeks and at an airtight condition at 80°C for 3 days, and then were subjected to HPLC analysis. The pharmaceutical formulations containing 1 mg of an active ingredient obtained by the wet granulation method shown in Reference Example 1 were unstable as they produced degradation products other than the hydrolyzates, while the samples of the present

10

15

20

invention shown in Example 2, both 5.0 mg- and 1.0 mgcontaining formulations, were stable as the production of degradation products remained low.

Table (4): Stability of tablets containing compound 1

Sample			Storage condition			
-		Content	60°C air-	80°C air-		
•		(mg)	tight	tight		
•		Ū	4 weeks (%)	3 days (%)		
The invention sample	а	5.0	0.4	0.4		
	b	1.0	1.0	1.3		
	C	1.0	0.7	0.5		
	d	1.0	~-	0.4		
	е	1.0	~	0.4		
	f	1.0		0.4		
Reference example	g	1.0	4.1	3.0		
	h	1.0	4.5	2.1		
	i	1.0	5.8	5.3		

Figures in the table represent the total amount (%) of the degradation products produced by the decomposition of compound 1.

Example 3.

Compound 1 was dissolved to a concentration of 20 mg/ml in propylene glycol or dimethylacetamide to prepare liquid formulations. As comparative control samples, compound 1 was dissolved to a concentration of 20 mg/ml in polysorbate 80 or polyethylene glycol 400. Table (5) shows the percentage (%) of degradation products of compound 1 when these formulations were stored at an airtight condition at 80°C for 3 days. They exhibited good stability when dissolved in propylene glycol or dimethylacetamide.

Table (5): Stability when dissolved in various solvents

Additive	Amount of degradation products (%)	
Polysorbate 80	18.1	
Polyethylene glycol 400	41.4	
Dimethylacetamide	4.1	
Propylene glycol	3.6	

Figures in the table represent the total amount (%) of the degradation products produced by the decomposition of compound 1.

25 Example 4.

5

10

15

Compound 1 was dissolved to a concentration of 20 mg/ml in polyethylene glycol 400 to prepare a liquid formulation, which was set as a comparative control sample. To the comparative control sample was added each additive at a concentration of 0.05 M to prepare the liquid formulation of the present invention. Table (6) shows the percentage (%) of degradation products of the active ingredients when these formulations and the comparative control samples were stored at an air-tight condition at 80°C for 3 days. Stability was enhanced in the samples to which an organic acid salt, an amino compound, or an inorganic basic substance of the present invention was added.

5

10

)

month of report William 1981

atalica the steer well that the shift is

Table (6): Stability of liquid formulations in which each additive was blended at 0.05 M to compound 1 at 20 mg/ml polyethylene glycol 400 (Storage condition: 80°C, air tight, Storage period: 3 days)

		Amount of	pН
		degradation	
•	Additive	products	
		(%)	
Comparative	None	41.4	5.3
control sample			
The invention	Sodium fumarate	21.6	7.0
sample	Sodium alginate	23.7	6.7
	Sodium dehydroacetate	13.0	8.6
	Sodium erhysorbate	13.2	7.3
	Trisodium citrate	28.2	8.0
	Tris(hydroxymethyl)aminomethane	2.9	10.1
	Monoethanolamine	4.3	11.5
	Diethanolamine	3.9	11.7
	Triethanolamine	9.6	9.4
•	Diisopropanolamine	4.7	9.9
	Triisopropanolamine	16.5	8.3
	Dihydroxyaluminum aminoacetate	7.3	6.4
	L-arginine	10.6	11.5
	Creatinine	18.6	7.0
	Sodium glutamate	23.1	-
	Glycine	26.7	-
	L-arginine L-glutamate	29.4	6.5
	Carbachol	32.3	5.4
	Ammonium carbonate	3.6	10.7
•	Disodium.phosphate	10.8	7.6
	Sodium carbonate	16.8	10.1
	Sodium bicarbonate	25.0	6.5
	Potassium bicarbonate	15.5	7.0
	Ammonia	4.6	11.7

Figures in the table represent the total amount (%) of the degradation products produced by the decomposition of compound 1.

10 Example 5.

To compound 1 dissolved at a concentration of 20 mg/ml in polyethylene glycol 400 was added an equal volume of 0.1 M tris(hydroxymethyl)aminomethane buffer of which pH is varied with hydrochloric acid or sodium hydroxide to prepare a liquid formulation of compound 1 at 10 mg/ml. Table 7 shows the percentage of the degradation products of the active ingredient when these formulations were stored at an air-tight condition at

15

5

1.1. - 1. a. albehros (1.1) [1] (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1) (1.1)

80°C for 3 days. Samples of the present invention of which pH was adjusted in the range of 7 to 11 exhibited good stability.

Table (7): Stability of 10 mg/ml polyethylene glycol 400 solution of compound 1 when pH was varied (storage condition: 80°C, air-tight, storage period: 3 days)

рн	Amount of degradation
	products (%)
3.8	98.6
13.2	48.8
7.3	11.9
7.7	8.2
8.5	5.8
9.5	5.6
10.1	4.4

Figures in the table represent the total amount (%) of the degradation products produced by the decomposition of compound 1.

Example 6.

Compound 1 was dissolved at a concentration of 20 mg/ml in polyethylene glycol 400, and sodium hydroxide was added thereto so that the final various concentrations can be from 0 mM to 10 mM to prepare liquid formulations. Table 8 shows the percentage of the degradation products of the active ingredient when these formulations were stored at each pH of these formulations and at an air-tight condition at 80°C for 1 day or 7 days. Samples of the present invention of which pH was adjusted in the range of about 7 to 11 exhibited good stability.

20

15

5

Table (8): Relationship between pH and stability of liquid formulations in which compound 1 was dissolved at 20 mg/ml in polyethylene glycol 400, and then sodium hydroxide was added thereto

(storage condition: 80°C, air-tight, storage period: 1 day or 7 days)

Concentration of sodium hydroxide	рН	Amount of degrad	lation products (%)
(mM)		80°C - 1 day	80°C - 7 days
0	5.3	16.0	63.7
0.01	5.9	14.1	60.6
0.1	6.1	14.3	56.0
1.0	7.3	9.7	33.7
2.0	8.9	4.6	12.4
3.0	9.4	5.0	9.8
4.0	10.4	6.0	9.7
5.0	10.8	9.7	11.4
10.0	13.1	71.5	90.6

Figures in the table represent the total amount (%) of the degradation products produced by the decomposition of compound 1.

Industrial Applicability

Pharmaceutical formulations that produce little degradation products and that are stable enough to be used as medical drugs can be obtained by mixing a pharmaceutically useful benzamide derivatives or a pharmaceutically acceptable salt thereof with additives that do not easily produce degradation products, blending an organic acid salt, an amine compound, or an inorganic basic substance, producing solid formulations by the dry granulation method, and further adjusting the pH of the liquid formulations to 4 to 12.

20

10

15

- 18-

AMENDED CLAIMS

1. A pharmaceutical formulation comprising (i) a benzamide derivative represented by the formula (1):

5

wherein A represents a structure shown by any one of the formula (2):

10

T

Ti.

Part of the second

or a pharmaceutically acceptable salt thereof, (ii) one or more than one selected from the group consisting of an organic acid salt, an amino compound and an inorganic basic substance, and (iii) one or more than one selected from the group consisting of an excipient, a disintegrant, a binder, a lubricant, a coating agent and a solvent.

20

15

2. A pharmaceutical formulation comprising (i) a benzamide derivative represented by the formula (1):

wherein A represents a structure shown by any one of the formula (2):

5

10

or a pharmaceutically acceptable salt thereof, and (ii) one or more than one selected from the group consisting of D-mannitol, partially gelatinized starch, carboxymethylstarch sodium, hydroxypropyl cellulose, magnesium stearate, hydroxypropyl methylcellulose and dimethylacetamide.

A pharmaceutical formulation comprising (i) a benzamide derivative represented by the formula (1):

wherein A represents a structure shown by any one of the 15 formula (2):

or a pharmaceutically acceptable salt thereof, wherein 20 said benzamide derivative or pharmaceutically acceptable salt thereof is dissolved in propylene glycol.

The pharmaceutical formulation according to any one of claims 1 to 3 wherein said benzamide derivative is represented by the formula (3):

Catal San March

10

15

20

25

30

- 20 -

$$\bigcap_{N} \bigcap_{N} \bigcap_{N$$

- 5. The pharmaceutical formulation according to claims 1, 2 and 4 wherein said pharmaceutical formulation is a solid formulation.
 - 6. The pharmaceutical formulation according to claims 1 to 4 wherein said pharmaceutical formulation is a liquid formulation.
 - 7. The pharmaceutical formulation according to claims 1, 4 and 5 wherein said excipient is D-mannitol.
 - 8. The pharmaceutical formulation according to any one of claims 1, 4, 5 and 7 wherein said disintegrant is one or more than one selected from the group consisting of partly pregelatinized starch, carmellose calcium, and carboxymethylstarch sodium.
 - 9. The pharmaceutical formulation according to any one of claims 1, 4, 5, 7 and 8 wherein said binder is hydroxypropyl cellulose.
 - 10. The pharmaceutical formulation according to claims 1, 4, 5 and 7 to 9 wherein said lubricant is one or more than one selected from magnesium stearate and talc.
 - 11. The pharmaceutical formulation according to claims 1, 4, 5 and 7 to 10 wherein said coating agent is hydroxypropyl methylcellulose.
 - 12. The pharmaceutical formulation according to claims 1, 4 and 6 wherein said solvent is one or more than one selected from the group consisting of propylene glycol, dimethylacetamide, and polyethylene glycol.
 - 13. The pharmaceutical formulation according to claims 1 and 4 to 12 wherein said organic acid salt is

lookame octor

Printed:20-03-2001

AMENDED SHEET

5

10

15

20

25

one or more than one selected from the group consisting of monosodium fumarate, sodium alginate, sodium dehydroacetate, sodium erythorbate, and trisodium citrate.

- 14. The pharmaceutical formulation according to claims 1 and 4 to 13 wherein said amino compound is one or more than one selected from the group consisting of tris(hydroxymethyl)aminomethane, monoethanolamine, diethanolamine, triethanolamine, diisopropanolamine, triisopropanolamine, dihydroxyaluminum aminoacetate, arginine, creatinine, sodium glutamate, glycine, Larginine L-glutamate and carbachol.
- 15. The pharmaceutical formulation according to claims 1 and 4 to 14 wherein said inorganic basic substance is one or more than one selected from the group consisting of sodium carbonate, potassium carbonate, ammonium carbonate, sodium bicarbonate, potassium bicarbonate, sodium hydroxide, disodium phosphate, and ammonia.
- 16. The pharmaceutical formulation according to claims 1, 2, 4, 5, 7 to 11 and 13 to 15 wherein the formulation is a solid formulation which comprises granules prepared by a dry granulation method.
 - 17. The pharmaceutical formulation according to claims 1 to 4, 6 and 12 to 15 wherein the formulation is a liquid formulation and pH is adjusted within the range of 4 to 12.

ABSTRACT

Stable pharmaceutical formulations can be obtained by mixing a pharmaceutically useful benzamide derivative or a pharmaceutically acceptable salt thereof with additives that do not easily produce degradation products, blending an organic acid salt, an amine compound, and an inorganic basic substance, producing solid formulations by the dry granulation method, and further adjusting the pH of the liquid formulations to 4 to 12. Pharmaceutical formulations that produce little degradation products and that are stable enough to be used as medical drugs can be obtained.

5

10

....

Declaration and Power of Attorney for Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

私は、身	人下に記名さ	れた発明者として、ここに下記の通り宜言する:	As a below named inventor, I hereby declare that:
私のd りである		宛先そして 国籍は、私の氏名の後に記載された通 、	My residence, post office address and citizenship are as stated next to my name.
求められ 者である 且つ共	1ている発明	・ について、特許請求範囲に記載され、且つ特許が 主題に関して、私は、最初、最先且つ唯一の発明 名が記載されている場合)か、或いは最初、最先 る(複数の氏名が記載されている場合)と信じて	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
jv a. I			PHARMACEUTICAL AGENT COMPRISING A BENZAMII
			DERIVATIVE AS ACTIVE INGREDIENT
上記:	発明の明細書	はここに添付されているが、下記の額がチェック	the specification of which is attached hereto unless the following box is checked:
	•	この限りでない:の日に出願され、の日に出願され、であり、且つ	was filed on August 16, 2000 as United States Application Number or PCT International Application Number PCT/EP00/08011 and was amended on (if applicable).
私は明細書	、上記の補正 を検討し、E	E 書によって補正された、特許請求範囲を含む上記 I つ内容を理解していることをここに表明する。	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.
私は性につ	、連邦規則2 いて重要なf	去典第37編規則1.56に定義されている、特許 前級を開示する義務があることを認める。	I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

comments on the amount of time you are required to complete this form should be sent to Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231.

Japanese Language Declaration (日本語宣言書)

私は、ここに、以下に記載した外国での特許出頭または発明者証の出頭、或いは米国以外の少なくとも一国を指定している米国法典第35編第365条(a)によるPCT国際出版について、同第119条(a)-(d)項又は第365条(b)項に基づいて優先権を主張するとともに、優先権を主張する本出願の出願日よりも前の出願日を有する外国での特許出願または発明者証の出願、或いはPCT国際出願については、いかなる出願も、下記の枠内をチェックすることにより示した。

I hereby claim foreign priorily under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filling date before that of the application for which priority is claimed.

Prior Foreign Application(s) 外国での先行出顕	•		Priority Not Claimed 優先権主張なし
11-229551 (Pat. Appln.) Japan	16/August/1999	
(Number)	(Country)	(Day/Month/Year Filed)	
(番号)	(国名)	(出願日/月/年)	
(Number)	(Country)	(Day/Month/Year Filed)	
(番号)	(国名)	(出願日/月/年)	
私は、ここに、下記のいかなる:	米国仮特許出願についても、その米	I hereby claim the benefit under Title 35	
国法典第35編119条 (e) 項の看	J益を主張する。	119(e) of any United States provisional	
(Application No.)	(Filing Date)		Filling Date)
(出版番号)	(出版日)		(出版日)
典第35編第120条に基づく利 なるPCT国際出版についても、 を主張する。また、本出版の各特 35編第112条第1段に規定を PCT国際出版に関示されていな 「出版日と本国内出版日またはPC	許請求の範囲の主題が、米国法典第れた態様で、先行する米国出版又はい場合においては、その先行出版の T国際出版日との間の期間中に入手 7編規則1.56に定義された特許	I hereby claim the benefit under Title 35 120 of any United States application(s), International application designating the and, insofar as the subject matter of eac application is not disclosed in the prior International application in the manner of Title 35, United States Code Section to disclose information which is material Title 37, Code of Federal Regulations, Savailable between the filling date of the national or PCT International filing date	or 365(c) of any PCT United States, listed below the of the claims of this United States or PCT provided by the first paragraph 112. I acknowledge the duty to patentability as defined in Section 1.56 which became prior application and the
(Application No.)	(Filing Date)	(Status: Patented, Pending, Abando	
(出願番号)	(出版日)	(現況:特許許可、係属中、放案	
(Application No.)	(Filing Date)	(Status: Patented, Pending, Abando	
(出版番号)	(出版日)	(現況:特許許可、係属中、放棄	
且つ情報と信ずることに基づく陳 を宜言し、さらに、故意に虚偽の 第18編第1001条に基づき、 により机罰され、またそのような	の知識に保わる陳述が真実であり、 述が、真実であると信じられること 陳述などを行った場合は、米国法典 節金または拘禁、若しくは、本の 放意による虚偽の陳述は、本出題が なる特許も、その有効性に同な われたことを、ここに宜言する。	I hereby declare that all statements may knowledge are true and that all stateme and belief are believed to be true; and were made with the knowledge that will like so made are punishable by fine or Section 1001 of Title 18 of the United Swillful false statements may jeopardize	ents made on information further that these statements Iful false statements and the imprisonment, or both, under states Code and that such

or any patent issued thereon.

6,

5.

Japanese Language Declaration (日本語宣言書)

委任状: 私は本出願を審査する手続を行い、且つ米国特許商標庁と の全ての業務を遂行するために、記名をれた発明者として、下記の弁 護士及び/または弁理士を任命する。 (氏名及び登録番号を記載する

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number).

書類送付先

Send Correspondence to:

Morgan, Lewis & Bockius LLP 1800 M Street, N.W.

Customer Number: 009629

Washington, D.C. 20036-5869

直通電話連絡先: (氏名及び電話番号)

Direct Telephone Calls to: (name and telephone number)

Robert J. Gaybrick 202-467-7000

唯一または第一発明者氏名		full name of sole or first inventor Tsuneji Suzuki
発明者の署名	日付	Inventor's signature Pate February TSUNEJI SUZUEI. 2002
住所		Residence Mobara-shi,/Chiba/Japan
国祭		Clitzenship Japanese
郵便の宛先 「TSUNEJ 」 S	uzukt	Post Office Address c/o Mitsui Chemicals, Inc., 1144,
		Togo, Mobara-shi, Chiba 297-0017, Japan
第二共同発明者がいる場合、その氏名	*	Full name of second joint inventor, if any Tomoyuki Ando
第二共同発明者の署名	日付	Second inventor's signature ToMOYUK! ANDO February 6, 200
住所		Residence Mobara-shi, Chiba, Japan
国 籍	0	Clitzenship Japanese
郵便の宛先		Post Office Address c/o Mitsui Chemicals, Inc., 1144,
:		Togo, Mobara-shi, Chiba 297-0017, Japan
第三以下の共同発明者についても同様に	記載し、署名を	(Supply similar information and signature for third and subsequent joint inventors.)

		<u> </u>
第三共同発明者		3-D Full name of third joint inventor, if any Masahiko Ishibashi
第三共同発明者	日付	Third inventor's signature Date Masahiko Ishibash February 6, 2002
住 所	1	Residence Mobara-shi, Chiba/ Japan
国籍		Citizenship Japanese
私書箱	- '	Post Office Address c/o Mitsui Pharmaceuticals, Inc., 1900-1,
		Togo, Mobara-shi, Chiba 297-0017, Japan
第四共同発明者		Full name of fourth joint inventor, if any Masahiro Sakabe
第四共同発明者	日付	Fourth inventor's signature Date Masahiro Sakabe February 6, 2002
住 所	±	Residence Mobara-shi, Chiba/ Japan
国籍		Citizenship Japanese
私書箱	-	Post Office Address c/o Mitsui Pharmaceuticals, Inc., 1900-1,
		Togo, Mobara-shi, Chiba 297-0017, Japan
L		

第五共同発明者	5	Full name of fifth joint inventor, if any Ikuo Sakai
第五共同発明者	日付	Fifth inventor's signature Date Jewo Sakai February 6, 2002
住 所	×	Residence Mobara-shi, Chiba Japan
国 籍		Citizenship Japanese
私書箱		Post Office Address c/o Mitsui Pharmaceuticals, Inc., 1900-1, Togo, Mobara-shi, Chiba 297-0017, Japan
第六共同発明者		Full name of sixth joint inventor, if any
第六共同発明者	日付	Sixth inventor's signature Date
住 所		Residence
国 籍		Citizenship
私書箱		Post Office Address

(第七以降の共同発明者についても同様に 記載し、署名をすること) (Supply similar information and signature for seventh and subsequent joint inventors.)